



Government of India  
Ministry of Commerce & Industry  
Petroleum & Explosives Safety Organisation (PESO)  
5th Floor, A-Block, CGO Complex, Seminary Hills,  
Nagpur - 440006

E-mail : [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)  
Phone/Fax No : 0712-2510248, Fax-2510577

Approval No : A/P/HQ/MH/104/7827 (P576021)

Dated : 01/11/2023

To,

M/s. VEGA Grieshaber KG,  
Am Hohenstein 113, Deutschland,Schiltach  
77761  
GERMANY

Sub : Approval of Intrinsically Safe Type Electrical Equipment. under Petroleum Rules 2002- Regarding.

Sir(s).

Please refer to your letter No. OIN1502993 dated 27/10/2023 on the subject.

The following Ex electrical equipment(s) manufactured by you according to IEC 60079-0 : 2017, IEC 60079-11 : 2011, IEC 60079-26 : 2014-10, standards and covered under TUV NORD CERT GmbH Test reports mentioned below is/are approved for use in Zone 1 of Gas IIC hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Pressure transmitter VEGABAR 8* type *8*(*)*C/U/O/H/T***** (*Z/H/A/S/T/P/F*****	Ex ia IIC T6...T1 Ga/Gb	P576021/1	TUV NORD CERT GmbH	IECEx TUN 13.0033X Issue no 6	02/11/2020	as per report
2	Pressure transmitter VEGABAR 8* type *8*(*)*C/U/O/H/T***** (*H/AZ*****	Ex ia IIC T6...T1 Ga/Gb	P576021/2	TUV NORD CERT GmbH	IECEx TUN 13.0033X Issue no 6	02/11/2020	as per report

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the TUV NORD CERT GmbH Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
  - (a) Name of the manufacturer
  - (b) Name and number by which the equipment is identified.
  - (c) Number & date of the test report of the TUV NORD CERT GmbH applicable to the equipment.
  - (d) Equipment reference number of this letter by which use of apparatus is approved.
  - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the TUV NORD CERT GmbH Test report and is identical with the one tested and certified at TUV NORD CERT GmbH shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by TUV NORD CERT GmbH in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative VEGA INDIA LEVEL AND PRESSURE MEASUREMENT PRIVATE LIMITED, PLOT NO. 1, GAT NO. 181 FULGAON Village : FULGAON City : Haveli Taluka / Tahsil : Haveli District : PUNE State : Maharashtra Pincode : 412216

This approval also covers the permissible variations as approved under the TUV NORD CERT GmbH test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is Valid upto 31/12/2027

Yours faithfully,

(K. Thiagarajan)  
Jt. Chief Controller of Explosives  
For Chief Controller of Explosives  
Nagpur

Copy to :  
1. Jt. Chief Controller of Explosives, West Circle, MUMBAI  
2. VEGA INDIA LEVEL AND PRESSURE MEASUREMENT PRIVATE LIMITED,PLOT NO. 1, GAT NO. 181 FULGAON Village : FULGAON City : Haveli Taluka / Tahsil : Haveli District : PUNE State : Maharashtra Pincode : 412216

for Chief Controller of Explosives  
Nagpur

(For more information regarding status,fees and other details please visit our website <http://peso.gov.in>)

**This is System Generated document. Signature is not required.**





सत्यमेव जयते

Government of India  
Ministry of Commerce & Industry  
Petroleum & Explosives Safety Organisation (PESO)  
5th Floor, A-Block, CGO Complex, Seminary Hills,  
Nagpur - 440006

E-mail : [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)  
Phone/Fax No : 0712-2510248, Fax-2510577

Approval No : A/P/HQ/MH/104/7830 (P575094)

Dated : 01/11/2023

To,

M/s. VEGA Americas, Inc.,  
3877 Mason Research Parkway, Mason, Ohio  
45036  
U.S.A

Sub : Approval of Intrinsically Safe Type Electrical Equipment. under Petroleum Rules 2002- Regarding.

Sir(s).

Please refer to your letter No. OIN1498544 dated 28/10/2023 on the subject.

The following Ex electrical equipment(s) manufactured by you according to IEC 60079-0 : 2017, IEC 60079-11 : 2011, IEC 60079-26 : 2014-10, standards and covered under TUV NORD CERT GmbH Test reports mentioned below is/are approved for use in Zone 1 of Gas IIC hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Pressure transmitter VEGABAR 8* type *8*(*)*C/U/O/H/ T***** (*)H/AZ*****	Ex ia IIC T6...T1 Ga/Gb	P575094/1	TUV NORD CERT GmbH	IECEx TUN 13.0033X Issue no 6	02/11/2020	as per report
2	Pressure transmitter VEGABAR 8* type *8*(*)*C/U/O/H/T***** (*)Z/H/A/S/T/P/F*****	Ex ia IIC T6...T1 Ga/Gb	P575094/2	TUV NORD CERT GmbH	IECEx TUN 13.0033X Issue no 6	02/11/2020	as per report

This Approval is granted subject to observance of the following conditions:-

- The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the TUV NORD CERT GmbH Test Reports referred to above.
- The equipment shall be used only with approved type of accessories and associated apparatus.
- Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
  - Name of the manufacturer
  - Name and number by which the equipment is identified.
  - Number & date of the test report of the TUV NORD CERT GmbH applicable to the equipment.
  - Equipment reference number of this letter by which use of apparatus is approved.
  - Protection level.
- A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the TUV NORD CERT GmbH Test report and is identical with the one tested and certified at TUV NORD CERT GmbH shall be furnished with each equipment.
- The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by TUV NORD CERT GmbH in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- The After sales service and maintenance of subject equipment shall be looked after by your representative VEGA INDIA LEVEL AND PRESSURE MEASUREMENT PRIVATE LIMITED, PLOT NO. 1, GAT NO.181 FULGAON ,Taluka /Tahsil : Haveli, District : PUNE, State :Maharashtra, Pincode :412216

This approval also covers the permissible variations as approved under the TUV NORD CERT GmbH test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is Valid upto 31/12/2027

Yours faithfully,

(K. Thiagarajan)  
Jt. Chief Controller of Explosives  
For Chief Controller of Explosives  
Nagpur

Copy to :  
1. Jt. Chief Controller of Explosives, West Circle, MUMBAI  
2. VEGA INDIA LEVEL AND PRESSURE MEASUREMENT PRIVATE LIMITED, PLOT NO. 1, GAT NO.181 FULGAON ,Taluka /Tahsil : Haveli, District : PUNE, State :Maharashtra, Pincode :412216

For Chief Controller of Explosives  
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

**This is System Generated document. Signature is not required.**



**Government of India**  
**Ministry of Commerce & Industry**  
**Petroleum & Explosives Safety Organisation (PESO)**  
5th Floor, A-Block, CGO Complex, Seminary Hills,  
Nagpur - 440006

E-mail : [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)  
Phone/Fax No : 0712-2510248, Fax-2510577

**Approval No : AP/HQ/MH/104/7839 (P576067)**

Dated : 06/11/2023

To,  
**M/s. VEGA Grieshaber KG,**  
**Am Hohenstein 113, Deutschland,Schiltach**  
**77761**  
**GERMANY**

**Sub :** Approval of Flame Proof, Intrinsically Safe Type Electrical Equipment. under Petroleum Rules 2002- Regarding.

**Sir(s),**  
Please refer to your letter No. **OIN1509084** dated **01/11/2023** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **IEC 60079-0 : 2017, IEC 60079-1 : 2014, IEC 60079-11 : 2011, IEC 60079-26 : 2014**, standards and covered under **TUV NORD CERT GmbH** Test reports mentioned below is/are approved for use in **Zone 1** of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Pressure transmitter type VEGABAR *8*(*).*E/Z/Q/J***** (*)H/AZ*****	Ex db ia IIC T6...T1 Ga/Gb	<b>P576067/1</b>	TUV NORD CERT GmbH	IECEx TUN 13.0040X Issue no 4	17/12/2019	As per TEST report
2	Pressure transmitter type VEGABAR *8*(*).*E/Z/Q/J***** (*)Z/H/A/S/T/P/F***** resp.	Ex db ia IIC T6...T1 Ga/Gb	<b>P576067/2</b>	TUV NORD CERT GmbH	IECEx TUN 13.0040X Issue no 4	17/12/2019	As per TEST report

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the TUV NORD CERT GmbH Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
  - (a) Name of the manufacturer
  - (b) Name and number by which the equipment is identified.
  - (c) Number & date of the test report of the TUV NORD CERT GmbH applicable to the equipment.
  - (d) Equipment reference number of this letter by which use of apparatus is approved.
  - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the TUV NORD CERT GmbH Test report and is identical with the one tested and certified at TUV NORD CERT GmbH shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by TUV NORD CERT GmbH in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative VEGA INDIA LEVEL AND PRESSURE MEASUREMENT PRIVATE LIMITED, PLOT NO. 1, GAT NO. 181 FULGAON Village : FULGAON City : Haveli Taluka / Tahsil : Haveli District : PUNE State : Maharashtra Pincode : 412216

This approval also covers the permissible variations as approved under the TUV NORD CERT GmbH test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is Valid upto **31/12/2027**

Yours faithfully,

(K. Thiagarajan)  
Jt. Chief Controller of Explosives  
For Chief Controller of Explosives  
Nagpur

Copy to :  
1. Jt. Chief Controller of Explosives, West Circle, MUMBAI  
2. VEGA INDIA LEVEL AND PRESSURE MEASUREMENT PRIVATE LIMITED,PLOT NO. 1, GAT NO. 181 FULGAON Village : FULGAON City : Haveli Taluka / Tahsil : Haveli District : PUNE State : Maharashtra Pincode : 412216

for Chief Controller of Explosives  
Nagpur

(For more information regarding status,fees and other details please visit our website <http://peso.gov.in>)

**This is System Generated document. Signature is not required.**



Government of India  
Ministry of Commerce & Industry  
Petroleum & Explosives Safety Organisation (PESO)  
5th Floor, A-Block, CGO Complex, Seminary Hills,  
Nagpur - 440006

E-mail : [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)  
Phone/Fax No : 0712-2510248, Fax-2510577

Approval No : **AP/HQ/MH/104/7829 (P575093)**

Dated : **01/11/2023**

To,  
**M/s. VEGA Americas, Inc.,  
3877 Mason Research Parkway,Mason,Ohio  
45036  
U.S.A**

**Sub :** Approval of Intrinsically Safe, Flame Proof Type Electrical Equipment. under Petroleum Rules 2002- Regarding.

**Sir(s),** Please refer to your letter No. **OIN1502983** dated **27/10/2023** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **IEC 60079-0 : 2017, IEC 60079-1 : 2014-06, IEC 60079-11 : 2011, IEC 60079-26 : 2014-10,** standards and covered under **TUV NORD CERT GmbH** Test reports mentioned below is/are approved for use in **Zone 1** of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Pressure transmitter type VEGABAR *8*(*).*E/Z/Q/J***** (*Z/H/A/S/T/P/F***** resp.	Ex db ia IIC T6...T1 Ga/Gb	<b>P575093/1</b>	TUV NORD CERT GmbH	IECEx TUN 13.0040X Issue no 4	17/12/2019	as per report
2	Pressure transmitter type VEGABAR *8*(*).*E/Z/Q/J***** (*H/AZ*****	Ex db ia IIC T6...T1 Ga/Gb	<b>P575093/2</b>	TUV NORD CERT GmbH	IECEx TUN 13.0040X Issue no 4	17/12/2019	as per report

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the TUV NORD CERT GmbH Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
  - (a) Name of the manufacturer
  - (b) Name and number by which the equipment is identified.
  - (c) Number & date of the test report of the TUV NORD CERT GmbH applicable to the equipment.
  - (d) Equipment reference number of this letter by which use of apparatus is approved.
  - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the TUV NORD CERT GmbH Test report and is identical with the one tested and certified at TUV NORD CERT GmbH shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by TUV NORD CERT GmbH in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative VEGA INDIA LEVEL AND PRESSURE MEASUREMENT PRIVATE LIMITED, PLOT NO. 1, GAT NO. 181 FULGAON Village : FULGAON City : Haveli Taluka / Tahsil : Haveli District : PUNE State : Maharashtra Pincode : 412216

This approval also covers the permissible variations as approved under the TUV NORD CERT GmbH test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is Valid upto **31/12/2027**

Yours faithfully,

(K. Thiagerajan)  
Jt. Chief Controller of Explosives  
For Chief Controller of Explosives  
Nagpur

Copy to :  
1. Jt. Chief Controller of Explosives, West Circle, MUMBAI  
2. VEGA INDIA LEVEL AND PRESSURE MEASUREMENT PRIVATE LIMITED,PLOT NO. 1, GAT NO. 181 FULGAON Village : FULGAON City : Haveli Taluka / Tahsil : Haveli District : PUNE State : Maharashtra Pincode : 412216

for Chief Controller of Explosives  
Nagpur

(For more information regarding status,fees and other details please visit our website <http://peso.gov.in>)

**This is System Generated document. Signature is not required.**