

**MANUFACTURER'S DECLARATION  
OF CONFORMITY****We:****VEGA Grieshaber KG**  
Am Hohenstein 113  
77761 Schiltach  
Germany**declare under our own responsibility that the product(s):**

VEGAPULS 42      IO-Link Device

**to which this declaration refers conform to:**

- IO-Link Interface and System Specification, V1.1.3, June 2019  
(NOTE 1,2)
- IO Device Description, V1.1.3, January 2021
- Additional conformance to Device Profiles  
(If checked refer to Part A on page 2)
- Conformance exceptions  
(If checked refer to Part B on page 2)

**The conformity tests are documented in the test report(s):**IO-Link-Radar-TR-VT-401-IO-Link-Kommunikation.pdf  
IO-Link Radar-TSR-VT-402-IO-Link-Konformitätstests.pdf**Issued at Schiltach, 15<sup>th</sup> May 2023****Authorized signatory****Name:**            **Thomas Deck**  
**Title:**             *Head of Development Department*  
**Signature:**      

NOTE 1 Relevant Test specification is V1.1.3, January 2021 NOTE 2 Additional validity in Package 2020 and Corrigendum	MD-Version: V1.1.3 / 2022-01
--	------------------------------

**Part A - Additional conformance to Device Profiles**

	Specification
<input checked="" type="checkbox"/>	IO-Link Common Profile Specification, V1.1, Dec. 2021
<input type="checkbox"/>	IO-Link Profile BLOB Transfer & Firmware Update Specification, V1.1, Sept. 2019
<input checked="" type="checkbox"/>	IO-Link Smart Sensors 2 <sup>nd</sup> Edition Specification, V1.1, Sept. 2021

**Part B - Conformance exceptions**

We herewith declare the following deviations to the related specifications	Reason
Communication cannot be established within the wake-up readiness time of 300 msec after power-up	Exception granted 2023-02-22 (ID: Ex_23-01) Due to extended memory size, memory checking, and start of the correct communication protocol, the communication cannot be started earlier than approximately 2 sec after power-up. Based on the overall assumption, that the wake-up readiness time is not exceeded to more than 3 seconds, the exception is granted.

**Annex – Conform products**

VEGAPULS 42
-------------