

Reliable

Reliable measurement in corrosive gases

Cost effective

Maintenance-free operation

User friendly

Simple installation and setup

Coke oven

Pressure measurement in the coke oven

Coke provides the necessary process heat, serves as a metal reducing agent and is a supporting matrix in the blast furnace. To achieve a high quality coke, the pressures in each of the separate ovens of a coking plant are individually regulated.

More details



VEGABAR 82

Pressure transmitter for pressure monitoring in coke ovens

- High durability thanks to CERTEC® ceramic measuring cell
- Exact measurement even in very small measuring ranges
- High plant availability through very high overload resistance of measuring cell

Show Product



VEGABAR 82

Show Product



Measuring range - Distance

-

Measuring range - Pressure

-1 ... 100 bar

Process temperature

-40 ... 150 °C

Process pressure

-1 ... 100 bar

Accuracy

0.05 %

Materials, wetted parts

PVDF

316L

Alloy C22 (2.4602)

PP

1.4057

1.4410

Alloy C276 (2.4819)

Duplex (1.4462)

Titanium Grade 2 (3.7035)

Threaded connection

≥ G½, ≥ ½ NPT

Flange connection

≥ DN15, ≥ ½"

Hygenic fittings

Clamp ≥ 1" - DIN32676, ISO2852

Slotted nut ≥ DN25 - DIN 11851

hygienic fitting with tension flange $\ensuremath{\mathsf{DN32}}$

hygienic fitting F40 with compression nut

DRD connection ø 65 mm

SMS 1145 DN51

SMS DN38

Swagelok VCR screwing

Varivent G125

Varivent N50-40

for NEUMO BioControl D50 PN16 / 316L

Seal material

EPDM

FKM FFKM

