



Reliable

Certified materials according to FDA and EC 1935/2004 regulations

Cost effective

Continuous filling process, thanks to a reliable measurement

User friendly


Simple installation and setup

Supply tank of a filling machine

Level measurement and point level detection in the supply tank of a filling machine

Yoghurt is stored in the supply tank of the filling machine. Reliable level measurement and point level detection are important for maintaining the filling process. A point level sensor is also used to prevent dry running of the supply to the machine.

[More details](#)



VEGAPULS 42

Non-contact level measurement with radar in the filling machine

- Maintenance-free operation thanks to non-contact measuring principle
- Simple automation and integration options thanks to IO-Link
- Compact design allows installation even in very small vessels

[Show Product](#)

BASIC**VEGAPULS 42**
[Show Product](#)**Measuring range - Distance**

15 m

Process temperature

-40 ... 130 °C

Process pressure

-1 ... 16 bar

Accuracy

± 2 mm

Frequency

80 GHz

Beam angle

≥ 12°

Materials, wetted parts

PTFE

316L

PEEK

Threaded connection≥ G $\frac{3}{4}$, ≥ $\frac{3}{4}$ NPT**Hygienic fittings**

Universal connection G1" for hygiene adapter

Seal material

EPDM

FKM